




MPF PRODUCTS INC.



- SPECIFICATIONS:
- 1. MATERIAL: CORNING HPFS 7980 FUSED SILICA OR EQUIVALENT
  - 2. TWD < 10λ @ 632NM (PEAK TO VALLEY)
  - 3. PARALLELISM < 30 ARC MINUTES
  - 4. SURFACE FINISH: 40/20 SCRATCH-DIG
  - 5. THERMAL RANGE: -100 °C TO 200 °C
  - 6. HOMOGENEITY GRADE: F
  - 7. INCLUSION CLASS: 2
  - 8. LEAK RATE < 1 X 10-9 ATM-CC/SEC HE

UV Grade Fused Silica Viewport, 1.40" View Dia, 2.16" QF/KF

UNLESS OTHERWISE SPECIFIED:		QUOTATION #		N/A		
DIMENSIONS ARE IN INCHES TOLERANCES:  ANGULAR: MACH ± 1/2° TWO PLACE DECIMAL    ± .030 THREE PLACE DECIMAL   ± .015			NAME	DATE	MPF PRODUCTS INC.	
		DRAWN	WJ	9/11/2015		
		CHECKED		9/11/2015		
		ENG APPR.	WJ	9/11/2015		
MATERIAL		THIRD ANGLE: 				TITLE:  VIEWPORT, FUSED SILICA, UV, 1.4" VIEW, QF/KF 40  DOWNLOADED FROM MPFPI.COM
APPLICATION			USED ON			
NEXT ASSY						
FINISH		SURFACE FINISH:  OR BETTER			DWG. NO.  A2206-1-QF	
PLATING		UNLESS OTHERWISE SPECIFIED:  ALL DIAMETERS CONCENTRIC WITHIN .005. REMOVE ALL BURRS AND SHARP EDGES				
Wednesday, October 14, 2020 11:05:33 AM						